



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~
Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

McKinney, Sciara
770 Shelton Cv. Rd.
Waynesville NC 28786

3/8/2013

Biodome Dr.
Waynesville NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # SWW-245

Dear System Owner:

The Wastewater system at the referenced location (7698-61-1328) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~
Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Rodney and Phylis Hamm
4009 Pepperton Drive
Raleigh, NC 27606

3/8/2013

2991 Plott Creek Road
Waynesville, NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # SWW-683

Dear System Owner:

The Wastewater system at the referenced location (7695-63-7610) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

A handwritten signature in cursive script that reads "Carl Pace".

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~
Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Henry Kidder
P.O. Box 777
Hazelwood, NC 28738

3/8/2013

1985 Crabtree Road
Clyde, NC 28721

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-855

Dear System Owner:

The Wastewater system at the referenced location (8627-48-1307) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY.
SUITE 200
CLADE, NC
28721

Michael L. Ramey
820 Mauney Cove Road
Waynesville NC 28786

3/8/2013

820 Mauney Cove
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # RT-560

Dear System Owner:

The Wastewater system at the referenced location (8616-07-1032) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKH
SUITE 200
CLYDE, NC
28721

Warren Mitchell Rathbone
16 Sparrow Drive
Waynesville, NC 28786

3/8/2013

16 Sparrow Drive
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # SWW-973


Dear System Owner:

The Wastewater system at the referenced location (8635-61-8988) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY.
SUITE 200
CLYDE, NC
28721

Ruth Ramsey
3788 Cove Creek
Waynesville, NC 28786

3/11/2013

3788 Cove Creek Rd
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # RT-522

Dear System Owner:

The Wastewater system at the referenced location (7790-88-9007) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

*157 PARAGON PKY
SUITE 200
CLYDE, NC
28721*

Richard Gamba
47 Strauss Lane
Waynesville, NC 28786

3/11/2013

47 Strauss Lane
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # TM-143

Dear System Owner:

The Wastewater system at the referenced location (8618-93-4646) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

Ronald Norwood
1800 Silent Forest PT.
Oviedo, FL 32765

3/11/2013

283 Allison Drive
Maggie Valley, NC 28752

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # RT-456

Dear System Owner:

The Wastewater system at the referenced location (7696-99-0803) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

157 PARAGON PKY
SUITE 200

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

CLYDE, NC

28721

Carmine F. Rocco, M. S., Health Director

Cynthia Tant
921 Altadena Drive
Ft. Myers, FL 33919

3/11/2013

523 Springlake Road
Maggie Valley, NC 28751

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # CEP-639

Dear System Owner:

The Wastewater system at the referenced location (7686-53-2586) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~
Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

*157 PARAGON PKY
SUITE 200
CLYDE, NC
28721*

Russell Mathew Mixon
144 Mt Gilead Dr
Orangeburg SC 29118

3/11/2013

377 Country Club Drive
Maggie Valley, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # RT-514

Dear System Owner:

The Wastewater system at the referenced location (7696-49-5746) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

Anthony Papa
12410 Lobelia Tere
Bradenton, FL. 34202

3/12/2013

776 Black Camp Rd.
Maggie Valley NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # CEP-875

Dear System Owner:

The Wastewater system at the referenced location (7666-87-8981) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

Jeffrey A Wheeler
67 Ivanhoe CT
Waynesville, NC 28786

3/12/2013

67 Ivanhoe Ct.
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-1198

Dear System Owner:


The Wastewater system at the referenced location (8617-03-5058) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
Suite 200
CLYDE NC
28721

Don Bracket
48 Holland Drive
Maggie Valley, NC 28751

3/12/2013

48 Holland Drive
Maggie Valley

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # CEP-861

Dear System Owner:

The Wastewater system at the referenced location (7696-27-2185) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

Mortimer S Weis
392 Remington Drive
Oviedo, FL 32765

3/12/2013

271 Fie Top Raod
Maggie Valley NC 28751

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # CEP-910

Dear System Owner:

The Wastewater system at the referenced location (7677-71-6113) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

157 PARAGON PKY

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

SUITE 200

CLYDE, NC

28781

Carmine F. Rocco, M. S., Health Director

Donald and Jane Wear
315 Forest Hill Road
Waynesville, NC 28785

3/12/2013

315 Forest Hill Road
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # CEP-906

Dear System Owner:

The Wastewater system at the referenced location (7698-99-5679) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

157 PARAGON PKY
SUITE 200

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

CLYDE, NC
28721

Carmine F. Rocco, M. S., Health Director

Billy Joe Lynch
49 Lonesome Dove Road
Waynesville, NC 28786

3/12/2013

49 Lonesome Dove Road
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # CEP-943

Dear System Owner:

The Wastewater system at the referenced location (7699-79-0926) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

Mountain Dreams Ltd
P.O. Box 1980
Maggie Valley, NC 28751-1980

3/12/2013

169 Wayah Zooshuga Road
Maggie Valley, NC 28751

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # CEP-1118

Dear System Owner:

The Wastewater system at the referenced location (7666-66-4471) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

Betty Henderson/ H. Yates
PO Box 644
Canton NC 28716

3/12/2013

1408 Pigeon Road
Waynesville, NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # AEA-3069

Dear System Owner:

The Wastewater system at the referenced location (8615-82-8795) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

Troy Muse
109 Wildflower Lane
Waynesville, NC 28786

3/13/2013

34 Balasam Ridge Road
Waynesville NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # MPL-222

Dear System Owner:

The Wastewater system at the referenced location (7694-24-2614) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200

CLYDE, NC
28721

Douglas DeRosa
P.O. Box 1593
Maggie Valley, NC 28751

3/13/2013

3211 Delwood Road
Waynesville, NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # PRD-044

Dear System Owner:

The Wastewater system at the referenced location (8606-49-1363) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675 157 PARAGON PKY
SUITE 200

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

CLYDE, NC
28721

Carmine F. Rocco, M. S., Health Director

Bruce A. Smith
1037 Serenity Mtn Rd
Waynesville, NC 28786

3/13/2013

1037 Serenity Mtn. Rd.
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # MPL-257

Dear System Owner:

The Wastewater system at the referenced location (7695-05-5282) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

Ramona Blaylock / TR
215 Mundy Field Rd.
Canton NC 28716

3/13/2013

23 Grand Dr.
Canton NC 28716

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-1603

Dear System Owner:

The Wastewater system at the referenced location (8644-68-2373) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

David Rathbone
63 Eagles Trace
Canton NC 28716

3/13/2013

63 Eagles Trace
Canton, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-1635

Dear System Owner:

The Wastewater system at the referenced location (8662-38-9221) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

BJ Morrow
1210 Crabtree Road
Waynesville, NC 28785

3/13/2013

54 Mac's Lane
Waynesville NC 28785

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # AEA-3164

Dear System Owner:

The Wastewater system at the referenced location (8618-39-3465) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

157 PARAGON PKY

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

SUITE 200

CLYDE, NC

28721

Carmine F. Rocco, M. S., Health Director

Kenneth Thornberry
244 Suffolk Way.
Mc Donough GA 30252

3/13/2013

94 Michael Drive
Waynesville NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # AEA-1720

Dear System Owner:

The Wastewater system at the referenced location (7697-59-2976) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

*157 PARAGON PKY.
SUITE 200*

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

*CLYDE, NC
28721*

Carmine F. Rocco, M. S., Health Director

Larry C. Bayless/TR
169 Covered Bridge Trail
Waynesville, NC 28785

3/6/2013

Covered Bridge Trail
Waynesville, NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # AGH-009

Dear System Owner:

The Wastewater system at the referenced location (7698-74-9906) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~
Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY,
SUITE 200
CLYDE, NC
28721

Terry L. Trull
13 Laurel Ct.
Clyde, NC 28721

3/6/2013

26 Azalea Drive
Clyde, NC 28721

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # SWW-2756

Dear System Owner:

The Wastewater system at the referenced location (8636-57-7607) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT
Main Offices
2177 Asheville Road, Waynesville, North Carolina 28786
Telephone (828) 452-6675

Environmental Health
1233 N. Main St. Box 8, Waynesville, NC 28786
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Lyle Ent., LTD.
89 Walker Road
Waynesville, NC 28786

3/6/2013

33 Haven Park
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # AEA-3921

Dear System Owner:

The Wastewater system at the referenced location (7684-82-6240) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

A handwritten signature in cursive script that reads "Carl Pace".

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

PKY,
157 PARAGON SUITE 200
CLYDE, NC
28721

Martin Netsky
1690 South Bayshore Lane #9
Coconut Grove, FL 3313

3/6/2013

99 Thistle Ridge
Canton, NC 28716

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-2672

Dear System Owner:

The Wastewater system at the referenced location (8656-00-7550) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

157 PARAGON PKY.
SUITE ZOO
CLYDE, NC.
28721

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Renee Galloway
P.O. Box 1334
Canton, NC 28716

3/6/2013

5 Galloway Pl.
Canton, NC 28716

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # JSE-152

Dear System Owner:

The Wastewater system at the referenced location (8648-94-5887) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PARKWAY
SUITE 200
CLYDE, NC
28721

Gifford Raulerson
86 Wady Branch Road
Canton, NC 28716

3/7/2013

86 Wady Branch Road
Canton, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-2915

Dear System Owner:

The Wastewater system at the referenced location (8663-7-1--5076) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC 28721

Claude King
2323 Ameron Ct.
N. Myrtle Beach SC 29582

3/6/2013

140 Traders Loop
Maggie NC 28715

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # GJB-845

Dear System Owner:

The Wastewater system at the referenced location (7666-64-1391) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

A handwritten signature in cursive script that reads "Carl Pace".

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARABELL PKY.
SUITE 200
CLYDE NC 28721

George Aycock
5045 High Point Drive
Pensacola, FL 32505

3/6/2013

276 Greenview Drive
Maggie Valley, NC 28715

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # GJB-655

Dear System Owner:

The Wastewater system at the referenced location (7697-81-8460) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

The Yellow House
4324 Veterans Blvd. Suite 102
Metaivie, LA 70006

3/6/2013

MAILED TO:

89 Oakview Drive
Waynesville, NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # GJB-892

Dear System Owner:

The Wastewater system at the referenced location (8605-02-3134) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
CLYDE, NC
28721
SUITE 200

Adam Redmon
1129 Fox Run Rd.
Waynesville NC 28785

3/6/2013

1129 Fox Run Road
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # JAW-1498

Dear System Owner:

The Wastewater system at the referenced location (7697-84-8869) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

A handwritten signature in cursive script that reads "Carl Pace".

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

Darrell Stanley
10 Treasure Trace
Waynesville, NC 28786

3/6/2013

10 Treasure Trace
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # GJB-897


Dear System Owner:

The Wastewater system at the referenced location (8604-45-8814) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY,
SUITE 200
CLYDE, NC 28721

Carol A. Lindstrom
285 Freeman Rd.
Waynesville, NC 28786

3/6/2013

285 Freeman Rd.
Waynesville NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # PSB-001

Dear System Owner:

The Wastewater system at the referenced location (8604-27-7561) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT
Main Offices
~~2177 Asheville Road, Waynesville, North Carolina 28786~~
Telephone (828) 452-6675

Environmental Health
~~1233 N. Main St. Box 8, Waynesville, NC 28786~~
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

Margie Dianne Ashe
34 Fernwood Pl.
Waynesville, NC 28786

3/6/2013

34 Fernwood Place
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # GJB-910

Dear System Owner:

The Wastewater system at the referenced location (7694-05-8566) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

157 PARAGON PKY

Environmental Health

SUITE 200

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

CLYDE, NC
28721

Carmine F. Rocco, M. S., Health Director

Michael Altermatt
825 Wildcat Run
Maggie Valley, NC 28715

3/6/2013

825 Wildcat Run
Maggie Valley, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # GJB-389

Dear System Owner:

The Wastewater system at the referenced location (7686-51-3735) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

Thomas Halterman
770 Grindstone Road
Waynesville, NC 28785

3/6/2013

770 Grindstone Road
Waynesville, NC 28785

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # JAW-1499

Dear System Owner:

The Wastewater system at the referenced location (8608-14-6662) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~
Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

Gary Mooney
107 Birkwood Ct.
De Bary FL 32713

3/6/2013

5060 Serenity Mt. Rd.
Waynesville NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # AEA-4036

Dear System Owner:

The Wastewater system at the referenced location (7695-15-5907) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

~~2177 Asheville Road, Waynesville, North Carolina 28786~~

Telephone (828) 452-6675

Environmental Health

~~1233 N. Main St. Box 8, Waynesville, NC 28786~~

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

157 PARAGON PKY
SUITE 200
CLYDE, NC
28721

William H. Howell
4925 Hideaway PT.
Hollywood SC 29449-5876

3/6/2013

4017 Serenity Mtn. Rd.
Waynesville NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-2610

Dear System Owner:

The Wastewater system at the referenced location (7685-87-8208) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

2177 Asheville Road, Waynesville, North Carolina 28786
Telephone (828) 452-6675

Environmental Health

1233 N. Main St. Box 8, Waynesville, NC 28786
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Eugene W. Hughes
2525 SE 9th Street
Pompano Beach, FL 33062

415 Stepping Stone Lane
Waynesville, NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-2737

Dear System Owner:

The Wastewater system at the referenced location (8625-20-1359) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices
2177 Asheville Road, Waynesville, North Carolina 28786
Telephone (828) 452-6675

Environmental Health
1233 N. Main St. Box 8, Waynesville, NC 28786
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

William C. Suttles
16414 Cruso Road
Canton, NC 28716

16414 Cruso Road
Canton, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-2741

Dear System Owner:

The Wastewater system at the referenced location (8661-36-2192) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT
Main Offices
2177 Asheville Road, Waynesville, North Carolina 28786
Telephone (828) 452-6675

Environmental Health
1233 N. Main St. Box 8, Waynesville, NC 28786
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Gladys Rogala
22 Giant Oak Ridge
Canton, NC 28716

119 Calebs Way
Maggie Valley, Nc 28715

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # GJB-671

Dear System Owner:


The Wastewater system at the referenced location (7677-99-7828) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

A handwritten signature in cursive script that reads "Carl Pace".

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT
Main Offices
2177 Asheville Road, Waynesville, North Carolina 28786
Telephone (828) 452-6675

Environmental Health
1233 N. Main St. Box 8, Waynesville, NC 28786
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Guy M. Guglielmi
435 Stepping Stone Lane
Waynesville, NC 28786

435 Stepping Stone Lane
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-2736

Dear System Owner:

The Wastewater system at the referenced location (8625-20-1098) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

A handwritten signature in cursive script that reads "Carl Pace".

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices

2177 Asheville Road, Waynesville, North Carolina 28786

Telephone (828) 452-6675

Environmental Health

1233 N. Main St. Box 8, Waynesville, NC 28786

Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

David Motter & Susan Simmon

2016 Lowis Ave.

Alva, FL 33920

249 Mosa Drive

Canton, NC 28716

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-2419

Dear System Owner:

The Wastewater system at the referenced location (8645-27-4945) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

A handwritten signature in cursive script that reads "Carl Pace".

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT
Main Offices
2177 Asheville Road, Waynesville, North Carolina 28786
Telephone (828) 452-6675

Environmental Health
1233 N. Main St. Box 8, Waynesville, NC 28786
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Eric Gunderson
1400 Benefit Road
Chesapeake, VA 23322

89 Tater Patch Road
Maggie Valley, NC 28715

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # GJB-819

Dear System Owner:

The Wastewater system at the referenced location (7667-53-1176) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT

Main Offices
2177 Asheville Road, Waynesville, North Carolina 28786
Telephone (828) 452-6675

Environmental Health
1233 N. Main St. Box 8, Waynesville, NC 28786
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Andrew Overton
4385 SW 10th Place # 203
Deerfield Beach, FL 33442

697 Hall Top
Waynesville, NC 28786

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # BAW-057

Dear System Owner:


The Wastewater system at the referenced location (8616-05-1613) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

A handwritten signature in cursive script that reads "Carl Pace".

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT
Main Offices
2177 Asheville Road, Waynesville, North Carolina 28786
Telephone (828) 452-6675

Environmental Health
1233 N. Main St. Box 8, Waynesville, NC 28786
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Roger and Diana Hall
5101 18th Ave.
E Bradenton, FL 34208

94 Scottdale Road
Canton, NC 28716

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-2873

Dear System Owner:

The Wastewater system at the referenced location (8656-30-7736) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

A handwritten signature in cursive script that reads "Carl Pace".

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT
Main Offices
2177 Asheville Road, Waynesville, North Carolina 28786
Telephone (828) 452-6675

Environmental Health
1233 N. Main St. Box 8, Waynesville, NC 28786
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

RAR Development Inc.
209 Sea Turtle Way St.
Augustine, FL 32084

Hyacinth Drive (lot 9)

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # WBL-2746

Dear System Owner:

The Wastewater system at the referenced location (8721-38-6443) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

A handwritten signature in cursive script that reads "Carl Pace".

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT
Main Offices
2177 Asheville Road, Waynesville, North Carolina 28786
Telephone (828) 452-6675

Environmental Health
1233 N. Main St. Box 8, Waynesville, NC 28786
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Michael Bounassi
787 Hemphill Road
Waynesville, NC 28785

787 Hemphill Road
Waynesville, NC 28785

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # JAW-1453

Dear System Owner:


The Wastewater system at the referenced location (8608-02-7634) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

A handwritten signature in cursive script that reads "Carl Pace".

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT
Main Offices
2177 Asheville Road, Waynesville, North Carolina 28786
Telephone (828) 452-6675

Environmental Health
1233 N. Main St. Box 8, Waynesville, NC 28786
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Donald Adkins
580 Lanini Drive
Hollister, CA 95023

459 Jonathan Trail
Maggie Valley, NC 28715

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # GJB-618

Dear System Owner:

The Wastewater system at the referenced location (7666-65-4348) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

Carl Pace, R.S.



HAYWOOD COUNTY HEALTH DEPARTMENT
Main Offices
2177 Asheville Road, Waynesville, North Carolina 28786
Telephone (828) 452-6675

Environmental Health
1233 N. Main St. Box 8, Waynesville, NC 28786
Telephone (828) 452-6682

Carmine F. Rocco, M. S., Health Director

Danny Gayne
465 Howell Mill Road
Waynesville, NC 28716

465 Howell Mill Road
Waynesville, NC

RE: Notice of Scheduled Inspection by Haywood County Health Department for Permit # GJB-740

Dear System Owner:

The Wastewater system at the referenced location (8616-52-0650) is due for an inspection by this department as required by 15A NCAC 18A.1961 Rules Governing Sewage Treatment and Disposal Systems.

Representatives of the Haywood County Environmental Health office will be making a visit to your property to inspect the septic system in the near future. We will be mailing you a report noting the status of your system and any improvements or maintenance that might be required. Should you have any questions about this inspection, or if any information contained in this notice is incorrect, Please call this office at (828)452-6682.

Sincerely,

A handwritten signature in cursive script that reads "Carl Pace".

Carl Pace, R.S.